

Baby Food FRUIT OR VEGETABLE

Description

Antacid preparations may be powders, tablets or a liquid dispersion. They are used for relief of hyperacidity and the discomfort of stomach ulcers. They are usually mixtures of an insoluble alkalimetal compound of an oxide, hydroxide or a carbonate.

Objective

Our interest concerns the liquid dispersion form. Through the use of homogenization, it is possible to provide viscosity control, reduce settling and furnish the smooth texture required of an internal medication. Homogenization also emulsifies any essential flavoring compounds included in the formula.

Equipment and Process

Most antacid compounds are prepared at ambient temperature and require only a simple premix kettle equipped with a suitable agitator. Premix is pumped to a homogenizer with a single-stage wear resistant homogenizing valve. Pressures range from 2500-5000 psi, depending upon the particular formulation. From the homogenizer the product may be delivered to filling equipment.

A typical formulation might be:

24 parts kaolin	6 parts acacia as flavor
24 parts aluminum hydroxide	11 parts dextrose
16 parts bismuth subcarbonate	- water sufficient to
16 parts calcium carbonate	make 20-40% solids

3 parts sodium chloride

Other formulations may call for a single compound such as milk of magnesia prepared from magnesium oxide or dihydroxyaluminum, aminoacetate, water and a suitable flavor. Usually, the solid ingredients are finely ground. The homogenizer does not grind particles but disperses them to their primary particle size. Therefore, it is advantageous to start with as small a particle size as possible for solids. Others are precipitated in an extremely fine form such as the calcium carbonates or magnesium oxides.

Testing

Routine testing of each batch for desired viscosity is done. In the initial development, shelf aging or centrifuge tests may be used to determine sedimentation rates.

>APV[®]

611 Sugar Creek Road, Delavan, WI 53115

P: (262) 728-1900 or (800) 252-5200, F: (262) 728-4904 or (800) 252-5012, E: wcb@spx.com

SPX reserves the right to incorporate our latest design and material changes without notice or obligation. Design features, materials of construction and dimensional data, as described in this bulletin, are provided for your information only and should not be relied upon unless confirmed in writing. Please contact your local sales representative for product availability in your region. For more information visit www.spx.com. The green ">" is a trademark of SPX Corporation, Inc. ISSUED: 02/2009 3042-01-07-2008-US COPYRIGHT © 2008, 2012 SPX Corporation