




459243 ISS T 10.08

NOTE: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Speed:  $n=1450^{-1}$  50 Hz  
 Impeller: Max. dia 142 mm  
 Min. dia 100 mm  
 Pump inlet: 51 mm  
 Pump outlet: 51 mm

Performance data refer to water at 20°C  
 Permissible tolerance  $\pm 5\%$






453243 ISS T 10.08

NOTE: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Speed: **n=2900<sup>-1</sup> 50 Hz**  
 Impeller: **Max. dia 142 mm**  
           **Min. dia 100 mm**  
 Pump inlet: **51 mm**  
 Pump outlet: **51 mm**

Performance data refer to water at 20°C  
 Permissible tolerance ±5%






453243 ISS T 10.08

NOTE: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Speed: **n=1750<sup>-1</sup> 60 Hz**  
 Impeller: **Max. dia 142 mm**  
           **Min. dia 100 mm**  
 Pump inlet: **51 mm**  
 Pump outlet: **51 mm**

Performance data refer to water at 20°C  
 Permissible tolerance ±5%



453243 ISS T 10.08

NOTE: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Speed: **n=3500<sup>-1</sup> 60 Hz**  
 Impeller: **Max. dia 142 mm**  
           **Min. dia 100 mm**  
 Pump inlet: **51 mm**  
 Pump outlet: **51 mm**

Performance data refer to water at 20°C  
 Permissible tolerance ±5%

