



NOTE: _____

Low flow impeller

Speed: **n=1450⁻¹ 50 Hz**
 Impeller: **Max. dia 142 mm**
Min. dia 105 mm

Pump inlet: **51 mm**
 Pump outlet: **51 mm**

Performance data refer to water at 20°C
 Permissible tolerance ±5%





Flow m³/h

NOTE: _____

Low flow impeller
 Speed: **n=2900⁻¹ 50 Hz**
 Impeller: **Max. dia 142 mm**
 Min. dia 105 mm
 Pump inlet: **51 mm**
 Pump outlet: **51 mm**

Performance data refer to water at 20°C
 Permissible tolerance ±5%



Flow m³/h

453402 ISS U 10.08

NOTE: _____


Low flow impeller

Speed: **n=1750⁻¹ 60 Hz**
 Impeller: **Max. dia 142 mm**
Min. dia 105 mm


Pump inlet: **51 mm**
 Pump outlet: **51 mm**

Performance data refer to water at 20°C
 Permissible tolerance ±5%

m



kW



Flow m³/h

453402 ISS U 10.08



NOTE: _____

Low flow impeller

Speed: **n=3500⁻¹ 60 Hz**
 Impeller: **Max. dia 142 mm**
Min. dia 105 mm

Pump inlet: **51 mm**
 Pump outlet: **51 mm**

Performance data refer to water at 20°C
 Permissible tolerance ±5%



Flow m³/h